

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1726	(program\$4 reprogram\$4 re-program\$4 upgrad\$5 updat\$5 customiz\$5) with (((mother adj1 card) adapter bridge hub controller board module) near5 (identity identities identifier identification identified identifying identify identifies number address name)) with (((identity identities identifier identification identified identifying identify identifies type model) near5 (device appliance machine))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 10:43
L2	3485	(710/62-64,72-74).CCL.S.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/09 10:43
L3	6769	(707/200,203).CCL.S.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/09 10:43
L4	5025	(717/168-178).CCL.S.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/09 10:44
L6	15037	2 3 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 10:44

L7	68	1 and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 10:44
L8	12	7 and @ad<"20001017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 10:45
L9	56	7 not 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:07
L10	741	(program\$4 reprogram\$4 re-program\$4 upgrad\$5 updat\$5 customiz\$5) with ((interface) near5 (identity identities identifier identification identified identifying identify identifies number address name)) with ((identity identities identifier identification identified identifying identify identifies type model) near5 (device appliance machine))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:26
L11	38	10 and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:27
L12	9	11 and @ad<"20001017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:27
L13	6	12 not 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:27

L14	35	11 not 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:33
L15	26	14 not 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:41
L16	8492	(program\$4 reprogram\$4 re-program\$4 upgrad\$5 updat\$5 customiz\$5) with (((mother adj1 card) adapter bridge hub controller board module interface) near5 (identity identities identifier identification identified identifying identify identifies number address name)) same ((identity identities identifier identification identified identifying identify identifies type model) near5 (device appliance machine))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:41
L17	392	6 and 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:42
L18	203	(program\$4 reprogram\$4 re-program\$4 upgrad\$5 updat\$5 customiz\$5) with (((mother adj1 card) adapter bridge hub controller board module interface) near5 (identity identities identifier identification identified identifying identify identifies number address name)) same ((identity identities identifier identification identified identifying identify identifies type model) near5 (device appliance machine)) with different	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:42

L19	33	18 and @ad<"20001017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:43
L20	31	19 not (8 9 12 13 15)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:43
L21	18	18 and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:52
L22	2	19 and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:52
L23	131	17 and @ad<"20001017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 11:53

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L24	72	(program\$4 reprogram\$4 re-program\$4 upgrad\$5 updat\$5 customiz\$5) with ((interface) near5 (identity identities identifier identification identified identifying identify identifies number address name)) with ((identity identities identifier identification identified identifying identify identifies type model) near5 (device appliance machine))	UPAD	OR	ON	2009/11/09 12:06
L25	81	((710/62-64,72-74).CQLS.	UPAD	OR	OFF	2009/11/09 12:06
L26	599	((707/200,203).CQLS.	UPAD	OR	OFF	2009/11/09 12:06
L27	525	((717/168-178).CQLS.	UPAD	OR	OFF	2009/11/09 12:06
L28	1193	25 26 27	UPAD	OR	ON	2009/11/09 12:07

L29	2	24 and 28	UPAD	OR	ON	2009/11/09 12:07
L30	411	(program\$4 reprogram\$4 re-program\$4 upgrad\$5 updat\$5 customiz\$5) with (((mother adj1 card) adapter bridge hub controller board module interface) near5 (identity identities identifier identification identified identifying identify identifies number address name)) same ((identity identities identifier identification identified identifying identify identifies type model) near5 (device appliance machine))	UPAD	OR	ON	2009/11/09 12:08
L31	16	28 and 30	UPAD	OR	ON	2009/11/09 12:08
L32	22	(program\$4 reprogram\$4 re-program\$4 upgrad\$5 updat\$5 customiz\$5) with (((mother adj1 card) adapter bridge hub controller board module interface) near5 (identity identities identifier identification identified identifying identify identifies number address name)) same ((identity identities identifier identification identified identifying identify identifies type model) near5 (device appliance machine)) with different	UPAD	OR	ON	2009/11/09 12:09
L33	2	28 and 32	UPAD	OR	ON	2009/11/09 12:09

11/9/2009 12:10:41 PM

C:\Documents and Settings\nguyen36\My Documents\EAST\Workspaces\app 10784485.wsp